## AMENDMENTS TO THE CLAIMS:

Please amend the claims according to the following listing of the claims:

- (original) An anti reflux device comprising a valve arranged to allow unidirectional flow through the valve; and retention means adapted to enable the device to be secured to a wall of a human or animal stomach.
  - 2. (original) A device according to claim 1 wherein the valve is substantially flexible.
- (currently amended) A device according to claim 1 er-2 wherein the valve is substantially collapsible.
- (currently amended) A device according to any preceding claim 1 wherein the valve comprises a mitral valve.
- 5. (currently amended) A device according to any preceding claim 1 wherein the retention means comprises a flange disposed substantially circumferentially about the valve, which flange is adapted to enable the device to be secured to the stomach wall.
- (original) A device according to claim 5 wherein the flange is provided with an adhesive on a stomach contacting face of the flange.
- 7. (currently amended) A device according to claim 5 or-6 wherein the flange defines a conduit therein which is in fluid communication with the contacting face.
- 8. (original) A device according to claim 7 wherein the fluid communication between the conduit and the contacting face is provided by a plurality of apertures in the flange.
- 9. (currently amended) A device according to any preceding claim  $\underline{1}$  wherein the device is substantially biodegradable.
- 10. (currently amended) A device according to any preceding claim 1 wherein the valve is adapted to permit the direction of the flow through the valve to be reversed when a

predetermined threshold pressure within the stomach is reached.

- 11. (currently amended) An anti reflux system comprising a device according to any preceding claim 1; and positioning means adapted to position the device against the stomach wall while the device is being secured to said stomach wall.
- 12. (original) A system according to claim 11 wherein the positioning means comprises a distensible element adapted to clamp the device between the stomach wall and the distensible element.
- 13. (original) A system according to claim 12 wherein the positioning means comprises a tether detachably engageable with the distensible element, to allow the distensible element to be drawn against the stomach wall.
- (currently amended) A system according to claim 12 er 13 wherein the distensible element is an inflatable balloon.
- 15. (currently amended) A system according to any of claims 11 to 15 claim 11, wherein the retention means comprises a flange disposed substantially circumferentially about the valve, which flange is adapted to enable the device to be secured to the stomach wall; and dispensing means detachably connectable, in fluid communication, with the device, the dispensing means being operable to pump an adhesive onto the flange.
- 16. (currently amended) A system according to any of claims 11 to 16 claim 11 further comprising insertion means adapted to facilitate the insertion of the device into the stomach.
- 17. (original) A system according to claim 16 wherein the insertion means comprises an elongate tube adapted to receive the device, in a collapsed state, and from which tube the device may be dispensed into the stomach.
- 18. (original) A method of treating gastroesophageal reflux comprising the steps of; locating a unidirectional flow valve device in the stomach of a human or animal; and securing the valve device to a wall of the stomach, about the oesophagal sphincter muscle, and in an

orientation permitting the unidirectional flow through the valve into the stomach.

- 19. (original) A method according to claim 17 comprising, in the step of locating the valve device in the stomach, collapsing the valve device and passing the valve device through the oesophagus and into the stomach.
- 20. (currently amended) A method according to claim 18 er-19 comprising, in the step of locating the valve device, collapsing the valve device about a distensible element, passing the valve device and the distensible element through the oesophagus and into the stomach, and distending the distensible element in order to deploy the valve device.
- 21. (currently amended) A method according to any-of-claims 18 to 20 claim 18 comprising, in the step of securing the valve, providing an adhesive on a stomach wall contacting portion of the valve device, and urging the contacting portion against the stomach wall until the adhesive has substantially adhered to the stomach wall.
- 22. (currently amended) A method according to claim 20 er-24 comprising, in the step of securing the valve device, drawing the distensible element against the stomach wall following the distension thereof, and retaining the distensible element in said position until the valve device is substantially secured to the stomach wall.
- 23. (currently amended) A method according to any-of-claims 20 to 22 claim 20 comprising, in the step of distending the distensible element, inflating the distensible element.
- 24. (currently amended) A method according to any of claims 24 to 23 claim 21 comprising, in the step of applying the adhesive, pumping the adhesive onto the contacting portion from outside the stomach.